DATE: 22 Jan 02

STATEMENT OF WORK (SOW)

for the

Inspection and Repair Only As Necessary (IROAN)

of the

AN/TPS-59(V)3

Voltage Regulator

NSN 6110-01-146-3769

SOW-04-C4I-8C623B-2/1

- 1. This SOW identifies the work effort that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 Voltage Regulator, NSN 6110-01-146-3769, part number 77D609539G3, CAGE 03538.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E. HERNDON

Logistics Management Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

RICHARD E. JONES

Team Leader

Equipment Specialist

Battlespace Management and Air Defense Systems (Code BMADS)

Marine Corps Systems Command, Albany, GA

STATEMENT OF WORK (SOW)

for the
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-59(V)3
Voltage Regulator
NSN 6110-01-146-3769

- 1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the contractor to IROAN the AN/TPS-59(V)3 Voltage Regulator, NSN 6110-01-146-3769, part number 77D609539G3, CAGE 03538, hereafter referred to as the Voltage Regulator. This document contains requirements to restore the Voltage Regulator to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.
- 2.1 Military Standards.

MIL-STD-2073-ID

DOD Standard Practice for Military Packaging

MIL-STD-129

DOD Standard Practice for Military Marking

2.2 Other Government Documents and Publications.

Engineering Drawing

77D609539, CAGE 03538

Regulator, Voltage

Engineering Drawing

77D609539G3, CAGE 03538

Parts List, Voltage Regulator

Military Handbooks (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards.

ANSI/ISO/ASQC

Quality Systems - Model for Quality Assurance in

Q9003-1994

Final Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P.O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from: Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, GA 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

3.0 Requirements.

- 3.1 The contractor shall repair the Voltage Regulator strictly in accordance with the requirements as specified in Engineering Drawing 77D609539 and Parts List 77D609539G3, CAGE 03538. Additionally, the contractor shall be responsible for developing a test plan, and documenting the test results in a Test Data Report (TDR). The contractor shall be responsible for all parts, materials, labor, facilities, tools and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.
- 3.2 Packaging, Handling, Storage and Transportation (PHS&T).
- 3.2.1 The contractor shall be responsible for preservation and packaging of item(s) to be repaired under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix A, Table A.VI, Electronic Equipment. Items scheduled for domestic shipment for immediate use or short-term storage shall be in accordance with level "B" requirements.

NOTE: Level "A" preservation and packaging shall normally be required due to the anticipated long-term storage requirements. Exceptions: Items that have a confirmed immediate use requirement shall be identified; in writing, by the Logistics Management Specialist (LMS), MCSC (Code BMADS), Albany, Georgia.

- 3.2.2 Marking for shipment and storage shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing these configuration control documents.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.5 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 4.0 Reports. The contractor shall develop a Test Data Report (TDR) in contractor format, based on test requirements to be developed by the contractor (in accordance with this SOW), which references this SOW, the NSN, part number and serial number of the Voltage Regulator. Upon request, the contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the Logistics Management Specialist (LMS). Electronic address is herndonle@matcom.usmc.mil. Mailing address is: Commander, Marine Corps Systems Command, Attn: Logistics Management Specialist, Code BMADS, 814 Radford Blvd., Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to (229) 639-6545 or DSN 567-6545, Attn: Logistics Management Specialist, Code BMADS.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching axisting data sources, pathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Diperations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notivitistanding any other provision of law, no person shall be subject to any pensity for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contractify R No. Ested in Block E.

A. CONTRACT LINE ITEM NO. D. SYSTEM/ITEM		B. EXHIBIT		C. CATEGORY:	OTHE	X					
Vol	ltage Regulator										
1. DATA ITEM NO. 2. TITLE OF DATA ITEM			•		3. SUBTITLE						
A001	Engine	eering Change Proposal (ECP)				Configuration Management					
4. AUTHORITY (Data Acquis			5. CONTRACT REFERE		6. REQUIRING OFFICE						
	CMAN-80639C			SOW 3.3		MCLBA (583)					
7. 00 250 REQ LT	S. DIST STATEMENT REQUIRED	10. FREQUENC				14. DISTRIBUTION					
B. APP CODE	1	ASREQ 11. AS OF DATE		13. DATE OF SUBSEQUENT	10		b. COPIES				
A	i l		••	SUBMISSION		a. ADDRESSEE	Draft Ren Ren				
	1	<u> </u>				MCI DA (593.1)	1) 0 1		Repro		
Blk 4 - Contra	ctor format submi	tted in .p	df or .doc for	mat is authorized	l .	MCLBA (583-1)	+	1	0		
Blks 10 & 12 - permanently at	ECPs shall be suffect the baseline of	bmitted for	or all propose guration item	ed changes which							
ECPs will be receipt by the	eviewed and dispo Government.	osition de	termined with	nin 30 calendar d	ays upon						
Block 14: ECF mbmatcomcon	es shall be transmi figmngmnt@matc	tted via E om.usmc	E-Mail to the included in the	following address	::						
Distribution St	atement A: Appro	ved for F	Public Release	; Distribution is			 				
Unlimited.	••						† †				
							1 1		_		
							4——				
							1				
							+ +				
							+				
							! 				
							1				
						·	1				
									Ľ		
							1				
							\bot				
							1				
							\vdash				
							+ +				
							+ +				
						····	 				
							+ +		<u> </u>		
							+				
						15. TOTAL	0	- 	0		
G. PREPARED BY	-1	1	H. DATE	I. APPROVED	ВУ	1	J. DATE	i			
dand	o Mar	Jb .	KNOUE	01	18	The 1	151	/ .	22		
OD FORM 1423	1. AUG 96 (EG)			REVIOUS EDITION MAY B	E LIGED	W W	Page		Pages		

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defenses, Washington Headquerters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shell be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government issuing Contracting Officer for the Contracting Of

A. CONTRACT LINE	ITEM NO.	B. EXHIBIT	<u> </u>	C. CATEGORY:			×				
D 0V07514117515		<u> </u>	E. CONTRACT/PR	TDP TM _	F. CONTRA			-			
D. SYSTEM/ITEM Vol	tage Regulator		E. CUNTRACTIPH	NŲ.	F. CUNTRA	ACIUN					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE						17. PRICE GI
		**					. 17		4		
A002		Request For Deviation			<u> </u>	Configuration Management					18, ESTIMAT
4. AUTHORITY (Data Acquiss DI-C	ition Document No.) CMAN-80640C		5. CONTRACT REFEREN	SOW 3.3		6. REQUIRING OFFICE MC	CLBA	(583)			TOTAL P
7. DD 250 REQ	DD 250 REQ D. DIST STATEMENT 10, FREQUENCY			12. DATE OF FIRST SUBMISSION		14. DISTRIB	. (505)				
LT	REQUIRED	ASREQ		See Blk 16				b. COPIES			
B. APP CODE			TE	13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee		Draft Final			
A A								Reg Repro			
16. REMARKS Blk 4 - Contrac	ctor format submi	itted in .p	df or .doc for	mat is authorized.		MCLBA (583	-1)	0	1	0	
Blks 10 & 12 - nonconforming documentation.	RFDs shall be su material which o	ibmitted to loes not n	o obtain authoneet prescribe	orization to deliver d configuration	:						
		osition de	termined with	nin 30 calendar da	ys upon						
Block 14: RFC mbmatcomcon	os shall be transm figmngmnt@matc	itted via l com.usmc	E-Mail to the : .mil	following address	;				· · · · · · · · · · · · · · · · · · ·		
Distribution Sta Unlimited.	atement A: Appro	oved for I	Public Release	; Distribution is							
											1
											'
										I	
											1
							\rightarrow				
							\rightarrow			-	1
											Ì
								•			
											1
										$\vdash \vdash \vdash$	
											1
										igsqcut	 . I
						15 T070:			-	اــــــا	
G. PREPARED BY	α α		H. DATE	I. APPROVED I	BY C	15. TOTAL		J. DATI		0	
Windle	2 (((((((((((((((((((W	18 NOV	D'I		A.		/),	In_	02	
NO ENDSA 1422	1 AUG 96 (FC)			REVIOUS EDITION MAY BE	neru	11/ 2		Page	nf	Pages	1